



शासकीय दंत महाविद्यालय व रुग्णालय, मुंबई



शासकीय दंत महाविद्यालय व रुग्णालय, मुंबई - ४०० ००१  
फोन नं. २२२-२२२२००१८, २२२-२२२२००२२, २२२-२२२२००२२, २२२-२२२२००२२  
वेबसाईट: www.dcmumbai.org

क्र.शादंमरुम्/दंतसामुग्रीखरेदी/दरपत्रक/३०६३/२०१८

दिनांक ११/०६/२०१८

विषय :- दंतसामुग्री पुरवठा करण्यासाठी दरपत्रके सादर करणेबाबत...

उपरोक्त विषयान्वये नमुद केल्यानुसार खालील प्रमाणे संस्थेतील विविध विभागात येणाऱ्या दैनंदिन रुग्णांवर लागणारी दंतसामुग्री तातडीने खरेदी करण्यासाठी आपणाकडून दरपत्रके मागविण्यात येत आहेत. सदर दरपत्रके इच्छुक असल्यास खालील किरकोळ सामुग्री चे दर या कार्यालयात दिनांक १९/६/२०१८ पुर्वी सादर करावी. उशिरा आलेली दरपत्रके स्विकारली जाणार नाहीत.

अ.क्र.	दंतसामुग्री नांव	विनिर्दिष्टेय (SPECIFICATION)
1	Dental Plaster	a) Plaster should be as per Indian standard specification. It should be dry & free from lumps & undesirable foreign material. b) Composition :- Powder :- (caso4)2 H2O, Gum Arabic + Calcium ca c) Mixing time :- 20-30 secs. d) Setting time :- 7 to 12 minutes. Final setting time :- 12 to 13 minutes. Colour :- Any light shade e) Compressive Strength :- 3000 lb/inch after one hour of setting. Linear expansion :- 0.03% after one hour. Not more than 0.20 % after f) Packing :- In 25 kg. Airtight tin lined with thick quality polythene. Container should be marked with the following information. 1) Manufacturer, Registered name & or mark (2) Weight in container. (3) Setting time (4) Linear expansion on setting. (5) Dt. of manufacture of material size :- 100 mesh standard since would not retain more than 5% of residue and on the standard 25 mesh seine
2	Dental Stone Plaster	a) Plaster should be as per Indian standard specification. It should be dry & free from lumps & undesirable foreign material. b) Composition :- Powder :- (caso4)2 H2O, Gum Arabic + Calcium ca c) Mixing time :- 20-30 secs. d) Setting time :- 7 to 12 minutes. Final setting time :- 12 to 13 minutes. Colour :- Any light shade e) Compressive Strength :- 3000 lb/inch after one hour of setting. Linear expansion :- 0.03% after one hour. Not more than 0.20 % after f) Packing :- In 25 kg. Airtight tin lined with thick quality polythene. Container should be marked with the following information. 1) Manufacturer, Registered name & or mark (2) Weight in container. (3) Setting time (4) Linear expansion on setting. (5) Dt. of manufacture of material size :- 100 mesh standard since would not retain more than 5% of residue and on the standard 25 mesh seine
3	Endodontic Niti rotary files	1. Made up of nickel titanium alloy. 2. Should have a greater taper than ISO standardized instruments as per the requirement of the user. E.g. 4, 6, 8, 10, 12. 3. Should be supplied in various lengths like 21, 25, 31 and others as per the need of the user. 4. Should have good cutting efficiency. 5. Latch type design for universal grip in various gear reduction hand pieces and endodontic motors. 6. Supplied in assorted sets of instruments of greater taper and tip dimension for thin medium and wide canals with 7. Should have colour coding. 8. Should be autoclavable. 9. Should not rust and corrode in common disinfecting solutions and sodium hypochlorite. 10. Should show sign of deformation before breakage. 11. Recommended torque levels and RPM of use should be provided.

२) वर दर्शविल्याप्रमाणे दरपत्रकेचा अनुक्रमांक व तारीख आणि दंतसामुग्री नांव उल्लेखित केलेल्या मोहोरबंद लिफाफयातून पूर्ण भरलेल्या दरपत्रक अधिष्ठाता शासकीय दंत महाविद्यालय व रुग्णालय, मुंबई - ४०० ००१ या कार्यालयात दिनांक १९/६/२०१८ रोजी दुपारी ४:०० वाजेपर्यन्त स्विकारल्या जातील. व दरपत्रकेचा सिलबंद लिफाफा खरेदी समिती समोर दिनांक २०/६/२०१८ रोजी सकाळी ११ वाजता उघडण्यात येतील आपणांस जर दरपत्रके उघडण्याच्या प्रक्रियेमध्ये भाग घ्यावयाचा असल्यास नियोजित वेळेत स्वखर्चाने उपस्थित राहवे.

अधिष्ठाता  
शासकीय दंत महाविद्यालय व रुग्णालय, मुंबई  
२०/६/१८

अटी व शर्ती :-

- १) सदर दरपत्रक सिलबंद पाकीटावर Dental Material असे ठळकपणे नमुद करावे.
- २) सदरील दरपत्रक अधिकृत लेटरहेड वर सादर करावे. त्यासोबत व्यवसाय नोंदणी प्रमाणपत्र, जीएसटी विलअरन्स सर्टिफिकेट जीएसटी नंबरची किंवा तत्सम प्राधिकरणाची नोंदणी प्रमाणपत्र झेरॉक्स प्रत तसेच पॅनकार्डची प्रत, औषधीद्रव्ये विभागाची वैध मान्यता/परवानगी प्रमाणपत्र सदर सामुग्री पुरवठा करण्यास कंपनीने प्रधिकृत व वैध प्रमाणपत्र माहितीपत्रक (कॅटलॉग)ह माहिती सादर करणे बंधनकारक आहे
- ३) प्रत्येक पुरवठाधारकास केवळ एक दरपत्रक सादर करता येईल. तसेच बरील सर्व कामे ही एकाच फार्मच्या अखत्यारीत संघर्ष नसल्याबाबत तसेच एकल निविदा देण्याबाबत हमीपत्र सादर करणे बंधनकारक राहिल.